



## UNITED STATES PATENT AND TRADEMARK OFFICE

COMMISSIONER FOR PATENTS  
UNITED STATES PATENT AND TRADEMARK OFFICE  
WASHINGTON, D.C. 20231  
www.uspto.gov

APPLICATION NUMBER	FILING/RECEIPT DATE	FIRST NAMED APPLICANT	ATTORNEY DOCKET NUMBER
09/882,329	06/15/2001	John V. Bouyoucos	HA-118CV

CONFIRMATION NO. 8435

## FORMALITIES LETTER



\*OC000000006414265\*

Martin Lukacher, Patent Counsel  
Hydroacoustics Inc.  
999 Lehigh Station Rd.  
P.O. Box 23447  
Rochester, NY 14692

Date Mailed: 08/13/2001

## NOTICE TO FILE CORRECTED APPLICATION PAPERS

*Filing Date Granted*

This application has been accorded an Application Number and Filing Date. The application, however, is informal since it does not comply with the regulations for the reason(s) indicated below. Applicant is given **TWO MONTHS** from the date of this Notice within which to correct the informalities indicated below. Extensions of time may be obtained by filing a petition accompanied by the extension fee under the provisions of 37 CFR 1.136(a)

The required item(s) identified below must be timely submitted to avoid abandonment:

- Substitute drawings in compliance with 37 CFR 1.84 because:
  - drawing sheets do not have the appropriate margin(s) (see 37 CFR 1.84(g)). Each sheet must include a top margin of at least 2.5 cm. (1 inch), a left side margin of at least 2.5 cm. (1 inch), a right side margin of at least 1.5 cm. ( 5/8 inch), and a bottom margin of at least 1.0 cm. (3/8 inch);

*A copy of this notice **MUST** be returned with the reply.*

Customer Service Center  
Initial Patent Examination Division (703) 308-1202

PART 3 - OFFICE COPY